BLACK MAGIC

Product Name: Date of Issue: JUNE 2023

Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
SUPPLIER:	Auto Klene Solutions Aust. Pty L	Auto Klene Solutions Aust. Pty Ltd		
ADDRESS:	885 Mountain Highway, Bayswa	885 Mountain Highway, Bayswater, 3153 VIC		
Trade Name:		BLACK MAGIC		
TELEPHONE:	03 8761 1900	FAX:	03 8761 1955	
AH EMERGENCY TELEPHONE:	1300 774 575 in Australia (M-F 7am-7pm)	Synonym:	5300	
Substance:	Water based detergent	Product Use:	All-purpose heavy-duty cleaner used in the automotive industry.	
Creation Date:	June 2023	Revision Date:	June 2028	

ECTION 2 – HAZARDS IDENTIFIC	ATION
Classification of the substance of	or mixture
Dangerous Goods	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of
	Dangerous Goods by Road & Rail".
GHS Classification	Corrosive to Metals - Category 1
	Skin Corrosion - Category 1C
	Eye Damage - Category 1
Poisons Schedule	S5 (Sodium Hydroxide)
Label elements	
GHS label pictograms	
Signal word	DANGER
Hazard statement(s)	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
Precautionary statement(s): Ge	neral
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary statement(s): Pre	evention
P234	Keep only in original packaging.
P260	Do not breathe spray.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P280	Wear protective gloves, protective clothing including eye protection.
Precautionary statement(s): Re	sponse
P101	If medical advice is needed, have product container or label at hand.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a doctor.

BLACK MAGIC

Product Name: powered by Motorone Date of Issue: JUNE 2023

Page 2 of Total 6

P363	Wash contaminated clothing before reuse.	
P390 Absorb spillage to prevent material damage.		
Precautionary statement(s): Storage		
P405	Store locked up.	
P406	Store in corrosive resistant insert appropriate compatible material container with a resistant inner liner.	
Precautionary statement(s): Disposal		
P501	Dispose of contents and container in accordance with local regulations.	
Note		
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied.	

Proportion (%w/w):
< 10
< 10
< 10
balance

SECTION 4 – FIRST AID	MEASURES
Inhalation	Remove person to fresh air away from exposure. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Obtain medical attention if symptoms occur.
Skin contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.
Eye contact	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical centre.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Non-flammable liquid. However, on evaporation of the aqueous component, the residual material	
Hazards	may burn.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO ₂) fire	
	extinguisher, water fog or alcohol resistant foam or fine water spray.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-	
	contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	Does not flash.	
Hazchem	2R	

Product Name:

BLACK MAGIC

Date of Issue: JUNE 2023

Page 3 of Total 6

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
Emergency Procedures	Wear PPE in accordance with Section 8 of this SDS. Minor spills Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water-based product, if spilt on electrical equipment the product will cause short-circuits. If possible, contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.	

SECTION 7 – HANDLING AN	D STORAGE
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure
	occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
	Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with
	water after handling. Launder contaminated clothing before re-use.
Storage	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs.
	Store away from incompatible materials described in Section 10. Store away from sources of heat
	and/or ignition. Store locked up. Store in corrosive resistant container with a resistant inner liner.
	Keep container standing upright. Keep containers closed when not in use - check regularly for
	leaks.
	This material is classified as a Class 8 Corrosive as per the criteria of the "Australian Code for the
	Transport of Dangerous Goods by Road & Rail" and/or the "New Zealand NZS5433: Transport of
	Dangerous Goods on Land" and must be stored in accordance with the relevant regulations.

SECTION 8 – EXPOSURE	CONTROLS AND PERSONAL PROTECTION
Exposure Limits	 National Occupational Exposure Limits, as published by Safe Work Australia: Time-weighted Average (TWA): None established for product. For ingredients: 2-Butoxyethanol: 20ppm, 96.9 mg/m³
	 Sodium Hydroxide: 2 mg/m³ (peak) Short Term Exposure Limit (STEL): None established for product. For ingredients:
	• 2-Butoxyethanol: 50ppm, 242 mg/m ³
Ventilation	No special requirements. Ensure adequate ventilation in use.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Safety glasses, chemical goggles or face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

BLACK MAGIC

Product Name: red by MotorOne Date of Issue: JUNE 2023

Page 4 of Total 6

Body Protection	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Physical State	Non-viscous liquid	Colour	Dark Brown
Odour	Slight Citrus	Specific Gravity	1.04 – 1.06 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Non-flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	Approx 13.2 (neat) Approx. 11.3 (1% sol)

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure. Reacts violently with acids. Corrosive to metals.	
Conditions to Avoid	Extremes of temperature and direct sunlight.	
Incompatibilities	Acids. Ammonium salts. Metals.	
Hazardous	Thermal decomposition may result in the release of toxic and/or irritating fumes. Contact with	
Decomposition	metals may evolve flammable hydrogen gas.	

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Symptoms of chects that h	ay anse if the product is mishandled and overexposure occurs are.
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation and possible burns. Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful irritation effects.
Skin contact	Contact with skin may cause irritation and possible burns. Severity depends on the concentration and duration of exposure.
Eye contact	A severe eye irritant. Corrosive to eyes: contact can cause corneal burns. Contamination of eyes can result in permanent injury.
Ingestion	Swallowing may result in nausea, irritation and possible burns.
Chronic exposure	Causes burns to skin and eyes.
Toxicology Information	Not toxic, based on ingredient calculated values.
Carcinogen Status	
SWA	No significant ingredient is classified as carcinogenic by SWA.
Respiratory Sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

BLACK MAGIC

ed by MotorOne Date of Issue: JUNE 2023

Product Name:

Page 5 of Total 6

SECTION 12 – ECOLOGICAL INFORMATION	
Eco-toxicity	Expected to be harmful to aquatic life.
Product	
Persistence and	No information.
degradability	
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physicochemical characteristics, highly mobile in the environment and will partition to
	the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS		
	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.	

SECTION 14 – TRANSPORT INFORMATION	
ADG	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
Marine Pollutant	No
Land Transport (ADG)	
UN Number	1719
Proper Shipping Name	CAUSTIC ALKALI LIQUID (CONTAINS SODIUM HYDROXIDE)
Class	8
HAZCHEM Code	2R
Packing Group	
ERG	37
Limited Quantity	5L
Segregation	Not to be loaded with explosives (Class 1), dangerous when wet substances (Class 4.3), oxidising agents (Class 5.1), organic peroxides (Class 5.2), radioactive substances (Class 7) or food and food packaging in any quantity. Note 1: Concentrated strong alkalis are incompatible with concentrated strong acids. Exemptions may apply.

SECTION 15 – REGULATORY	INFORMATION
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5 (Sodium Hydroxide)
ADG Code	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
AICS	All ingredients present on AICS

SECTION 16 – OTHER INFORMATION	
Issue Date	June 2023
Version Number	V6: regular review
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.



BLACK MAGIC

Date of Issue: JUNE 2023

Page 6 of Total 6

	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HCIS: Hazardous Chemical Information System
	SWA: Safe Work Australia.
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safe Work Australia
	Australian Code for The Transport of Dangerous Goods by Road and Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Safety Data Sheets – individual raw materials – Suppliers
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure
	that an appropriate assessment can be made, the user should contact this supplier. End of SDS