# **Blue Car Shampoo**

Auto Klene Solutions Chemwatch: 9126552 Version No: 3.1.1.1

Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 2
Issue Date: 01/01/2021

Print Date: 01/01/2021 S.GHS.NZL.EN

#### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier	
Product name	Auto Klene Blue Car Shampoo
Synonyms	vehicle cleaner
Other means of identification	Not Available
Relevant identified uses of th	e substance or mixture and uses advised against
Relevant identified uses	Vehicle cleaner.
Details of the supplier of the	safety data sheet
Registered company name	Auto Klene Solutions
Address	1/83 Merrindale Drive Croydon VIC 3136 Australia
Telephone	+61 3 8761 1900
Fax	+61 3 8761 1955
Website	http://www.autoklene.com/msds/
Email	Not Available
Emergency telephone number	er -
Association / Organisation	Auto Klene Solutions General Avail. Mon-Fri 9am-5pm
Emergency telephone numbers	02 9212 5255
Other emergency telephone numbers	Not Available
SECTION 2 HAZARDS IDE	ENTIFICATION

# Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

#### CHEMWATCH HAZARD RATINGS

	Min N	Лax
Flammability	0	
Toxicity	0	0 = Minimum
Body Contact	2	1 = Low 2 = Moderate
Reactivity	0	3 = High
Chronic	0	4 = Extreme

[1] Classification	Acute Toxicity (Oral) Category 5, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Acute Terrestrial Hazard Category 3
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	6.1E (oral), 6.3A, 6.4A, 9.2C
Label elements	

# GHS label

elements



SIGNAL	WORD
--------	------

WARNING

### Hazard statement(s)

H303

May be harmful if swallowed.

Issue Date: 01/01/2021
Print Date: 01/01/2021

H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H423	Harmful to the soil environment	
Precautionary statement(s) P	revention	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary statement(s) Response		
P312	Call a POISON CENTER or doctor/physician if you feel unwell.	
P362	Take off contaminated clothing and wash before reuse.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	

# Precautionary statement(s) Storage

Not Applicable

# Precautionary statement(s) Disposal

Not Applicable

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
7758-29-4	<10	sodium tripolyphosphate
25155-30-0	10-20	sodium dodecylbenzenesulfonate
Not Available	<1	perfume
Not Available	<1	dye
7732-18-5	>60	water

Issue Date: 01/01/2021
Print Date: 01/01/2021

#### **SECTION 4 FIRST AID MEASURES**

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

Description	of first aid	measures

Description of mist aid meast	ui co
Eye Contact	If this product comes in contact with the eyes:  ► Wash out immediately with fresh running water.  ► Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. ► Seek medical attention without delay; if pain persists or recurs seek medical attention.  ► Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  ► Immediately remove all contaminated clothing, including footwear.  ► Flush skin and hair with running water (and soap if available).  ► Seek medical attention in event of irritation.
Inhalation	▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area. ▶ Other measures are usually unnecessary.
Ingestion	<ul> <li>▶ If swallowed do NOT induce vomiting.</li> <li>▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>▶ Observe the patient carefully.</li> <li>▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. ▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. ▶ Seek medical advice.</li> </ul>

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of

combustible substances. In such an event consider: ▶ foam.

▶ dry chemical powder. ▶ carbon dioxide.

# Special hazards arising from the substrate or mixture

# Advice for firefighters

- Alert Fire Brigade and tell them location and nature of hazard.
- ▶ Wear breathing apparatus plus protective gloves in the event of a fire.
- ▶ Prevent, by any means available, spillage from entering drains or water courses.
- Fire Fighting

   Use fire fighting procedures suitable for surrounding area.
  - ▶ DO NOT approach containers suspected to be hot.
  - ▶ Cool fire exposed containers with water spray from a protected location.
  - ▶ If safe to do so, remove containers from path of fire.

Issue Date: 01/01/2021
Print Date: 01/01/2021

The emulsion is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon component will burn.

Decomposes on heating and produces toxic fumes of:
, carbon dioxide (CO2)

Fire/Explosion Hazard phosphorus oxides (POx)

sulfur oxides (SOx)

other pyrolysis products typical of burning organic material.

May emit poisonous fumes. May emit corrosive fumes.

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Environmental hazard - contain spillage.

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective equipment.

Contain and absorb spill with sand, earth, inert material or vermiculite.

Wipe up.

Place in a suitable, labelled container for waste disposal.

Environmental hazard - contain spillage.

Minor hazard.

Clear area of personnel.

Alert Fire Brigade and tell them location and nature of hazard.

Control personal contact with the substance, by using protective equipment as required.

Prevent spillage from entering drains or water ways.

Contain spill with sand, earth or vermiculite.

▶ Collect recoverable product into labelled containers for recycling.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 HANDLING AND STORAGE**

Precautions for safe handling	
Safe handling	<ul> <li>▶ Limit all unnecessary personal contact.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ When handling DO NOT eat, drink or smoke.</li> <li>▶ Always wash hands with soap and water after handling.</li> <li>▶ Avoid physical damage to containers.</li> <li>▶ Use good occupational work practice.</li> </ul>
Other information	<ul> <li>▶ Store in original containers.</li> <li>▶ Keep containers securely sealed.</li> <li>▶ Store in a cool, dry, well-ventilated area.</li> <li>▶ Store away from incompatible materials and foodstuff containers.</li> </ul>

Chemwatch: 9126552

Version No. 3.1.1.1 Print Date: 01/01/2021

- ▶ Protect containers against physical damage and check regularly for leaks.
- ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

#### Conditions for safe storage, including any incompatibilities

#### Suitable container

- ▶ Polyethylene or polypropylene container.
- ▶ Packing as recommended by manufacturer
- ▶ Check all containers are clearly labelled and free from leaks.

Storage incompatibility Avoid contamination of water, foodstuffs, feed or seed.

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL) INGREDIENT DATA

Not Available

#### EMERGENCY LIMITS

Ingredient	Material name		TEEL-1	TEEL-2	TEEL-3
sodium tripolyphosphate	Sodium tripolyphosphate	Sodium tripolyphosphate		6.8 mg/m3	620 mg/m3
sodium dodecylbenzenesulfonate	Sodium dodecylbenzenesulfonate; (Dodecyl benzene sodium sulfonate)		2.1 mg/m3	23 mg/m3	87 mg/m3
Ingredient	Original IDLH Revised IDLH				
sodium tripolyphosphate	Not Available Not Available				
sodium dodecylbenzenesulfonate	Not Available Not Available				
perfume	Not Available Not Available				
dye	Not Available	Not Available			
water	Not Available	Not Available			

# **Exposure controls**

None required when handling small quantities.

# OTHERWISE:

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

#### Personal protection









Appropriate engineering

controls

No special equipment for minor exposure i.e. when handling small quantities OTHERWISE:

#### Eye and face protection

▶ Safety glasses with side shields.

▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable.

### Skin protection

See Hand protection below

#### Hands/feet protection

No special equipment needed when handling small quantities. OTHERWISE: Wear chemical protective gloves, e.g. PVC.

# **Body protection**

See Other protection below

Issue Date: 01/01/2021

Issue Date: 01/01/2021 Print Date: 01/01/2021

Other protection	No special equipment needed when handling small quantities.  OTHERWISE:
	▶ Overalls.
	▶ Barrier cream.
	▶ Eyewash unit.
Thermal hazards	Not Available

#### Recommended material(s)

# GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Auto Niene Buildog Blue		
Material	СРІ	
BUTYL	С	
NATURAL RUBBER	С	
NEOPRENE	С	
PVA	С	
VITON	С	

<sup>\*</sup>CPI - Chemwatch Performance Index

A: Best Selection

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise beunsuitable following long-term or frequent use. A qualified practitioner should be consulted.

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance	Opaque blue liquid with a coconut odour; mixes with wat	er.	
Physical state	Liquid	Relative density (Water = 1)	1.04
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	7-9	Decomposition temperature	Not Available
Melting point / freezing point (°C)	~0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	as for water	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

B: Satisfactory; may degrade after 4 hours continuous immersion

 $<sup>\</sup>ensuremath{\mathsf{C}}\xspace$  Poor to Dangerous Choice for other than short term immersion

Issue Date: **01/01/2021**Print Date: **01/01/2021** 

Reactivity	See section 7
Reactivity	See Section /
Chemical stability	<ul> <li>▶ Unstable in the presence of incompatible materials.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# SECTION 11 TOXICOLOGICAL INFORMATION

Inhaled	using animal models). Nevertheless, adverse system	health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives ic effects have been produced following exposure of animals by at least one other route and good minimum and that suitable control measures be used in an occupational setting. Not normally a	
Ingestion	Accidental ingestion of the material may be damaging Ingestion may result in nausea, abdominal irritation, p		
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  This material can cause inflammation of the skin on contact in some persons.		
Eye	This material can cause eye irritation and damage in	some persons.	
Chronic	Substance accumulation, in the human body, may of Prolonged or repeated skin contact may cause degree	occur and may cause some concern following repeated or long-term occupational exposure. easing with drying, cracking and dermatitis following.	
	TOXICITY	IRRITATION	
Auto Klene Bulldog Blue			
	Not Available	Not Available	
	TOXICITY	IRRITATION	
sodium tripolyphosphate			
	Dermal (rabbit) LD50: >3160 mg/kg	Not Available	
	Oral (rat) LD50: >2000 mg/kgl		
	TOXICITY	IRRITATION	
sodium odecylbenzenesulf onate	TOXIGIT	INITATION	
Onate	Oral (rat) LD50: 438 mg/kg <sup>2</sup>	Eye (rabbit): 0.25 mg/24hr-SEVERE	
		Eye (rabbit): 1% - SEVERE	
		Skin (rabbit): 20 mg/24 hr-SEVERE	
	TOXICITY	IRRITATION	
water			
	[2] Oral (rat) LD50: >90000 mg/kgNot Available		
		Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specific	
Leg	yend: 1 Value obtained from Europe ECHA Registered data extracted from RTECS - Register of Toxic		
Leg	data extracted from RTECS - Register of Toxi	c Effect of chemical Substances	
Leg	data extracted from RTECS - Register of Toxion  Linear alkyl benzene sulfonates are deri irritation, sluggishness, passage of frequ		

Issue Date: 01/01/2021

Print Date: 01/01/2021

SODIUM TRIPOLYPHOSPHATE & SODIUM DODECYLBENZENESULFONATE

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like

symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of

exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

Acute Toxicity	~	Carcinogenicity	
Skin Irritation/Corrosion		Reproductivity	
Serious Eye Damage/Irritation	<b>~</b>	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity		Aspiration Hazard	

Legend: X - Data available but does not fill the criteria for classification

✓ – Data available to make classification

- Data Not Available to make classification

#### **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
sodium tripolyphosphate	EC50	48	Crustacea	>70.7- <101.3mg/L	2
sodium tripolyphosphate	EC50	48	Crustacea	>70.7- <101.3mg/L	2
sodium dodecylbenzenesulfonate	LC50	96	Fish	1.18mg/L	4
sodium dodecylbenzenesulfonate	EC50	48	Crustacea	5.88mg/L	4
sodium dodecylbenzenesulfonate	EC50	96	Algae or other aquatic plants	1.9mg/L	5
sodium dodecylbenzenesulfonate	BCF	2	Fish	1.1mg/L	4
sodium dodecylbenzenesulfonate	EC50	48	Algae or other aquatic plants	1.94mg/L	5
sodium dodecylbenzenesulfonate	NOEC	72	Fish	3.1mg/L	4

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 -

Legend: V3.1

Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -

Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems. DO NOT discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

#### Bioaccumulative potential

Ingredient	Bioaccumulation

Chemwatch: 9126552

Version No: **3.1.1.1** Print Date: **01/01/2021** 

water	LOW (LogKOW = -1.38)

#### Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / Packaging

▶ Co

- ▶ Recycle wherever possible.
- ▶ Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- ▶ Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001.

#### **SECTION 14 TRANSPORT INFORMATION**

disposal

#### Labels Required

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

 $\hbox{Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS } \\$ 

 ${\bf Sea\ transport\ (IMDG-Code\ /\ GGVSee):\ NOT\ REGULATED\ FOR\ TRANSPORT\ OF\ DANGEROUS\ GOODS}$ 

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### **SECTION 15 REGULATORY INFORMATION**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002624	N.O.S. (Subsidiary Hazard) Group Standard 2006
HSR002535	Compressed Gas Mixtures (Subsidiary Hazard) Group Standard 2006
HSR002596	Laboratory Chemicals and Reagent Kits Group Standard 2006
HSR002530	Cleaning Products (Subsidiary Hazard) Group Standard 2006
HSR002585	Fuel Additives (Subsidiary Hazard) Group Standard 2006
HSR002519	Aerosols (Subsidiary Hazard) Group Standard 2006
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2006
HSR002606	Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006
HSR002644	Polymers (Subsidiary Hazard) Group Standard 2006
HSR002647	Reagent Kits Group Standard 2006
HSR002612	Metal Industry Products (Subsidiary Hazard) Group Standard 2006

Issue Date: 01/01/2021

Issue Date: **01/01/2021**Print Date: **01/01/2021** 

HSR002670	Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006
HSR002503	Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2006
HSR002638	Photographic Chemicals (Subsidiary Hazard) Group Standard 2006
HSR002565	Embalming Products (Subsidiary Hazard) Group Standard 2006
HSR002578	Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2006
HSR002558	Dental Products (Subsidiary Hazard) Group Standard 2006
HSR002684	Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2006
HSR002573	Fire Fighting Chemicals Group Standard 2006
HSR100425	Pharmaceutical Active Ingredients Group Standard 2010
HSR002600	Leather and Textile Products (Subsidiary Hazard) Group Standard 2006
HSR002571	Fertilisers (Subsidiary Hazard) Group Standard 2006
HSR002648	Refining Catalysts Group Standard 2006
HSR002653	Solvents (Subsidiary Hazard) Group Standard 2006
HSR002544	Construction Products (Subsidiary Hazard) Group Standard 2006
HSR002549	Corrosion Inhibitors (Subsidiary Hazard) Group Standard 2006
HSR002552	Cosmetic Products Group Standard 2006
HSR100757	Veterinary Medicine (Limited Pack Size, Finished Dose) Standard 2012
HSR100758	Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2012

Blue Car Shampoo

 Version No: 3.1.1.1
 Page 11 of 12
 Print Date: 01/01/2021

HSR100759 Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2012

HSR100628 Straight-chained Lepidopteran Sex Pheromone Group Standard 2012

HSR100580 Tattoo and Permanent Makeup Substances Group Standard 2011

#### SODIUM TRIPOLYPHOSPHATE(7758-29-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Inventory of Chemicals (NZIoC)

SODIUM DODECYLBENZENESULFONATE(25155-30-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Inventory of Chemicals (NZIoC)

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

#### **Location Test Certificate**

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, a location test certificate is required when quantity greater than or equal to those indicated below are present.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

# Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations and Regulation 9 of the Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

# Tracking Requirements

Not Applicable

National Inventory	Status	
Australia - AICS	Y	
Canada - DSL	Y	
Canada - NDSL	N (sodium tripolyphosphate; sodium dodecylbenzenesulfonate; water)	
China - IECSC	Y	
Europe - EINEC / ELINCS / NLP	Υ	
Japan - ENCS	N (water)	
Korea - KECI	Y	
New Zealand - NZIoC	Y	
Philippines - PICCS	Y	
USA - TSCA	Y	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

### **SECTION 16 OTHER INFORMATION**

Chemwatch: 9126552 Issue Date: 01/01/2021

#### Blue Car Shampoo

 Version No: 3.1.1.1
 Page 12 of 12
 Print Date: 01/01/2021

#### Other information

#### Ingredients with multiple cas numbers

Name	CAS No
sodium tripolyphosphate	7758-29-4, 15091-98-2, 13573-18-7
sodium dodecylbenzenesulfonate	25155-30-0, 85117-50-6, 68081-81-2

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.