SAFETY DATA SHEET

1. Identification

Product number	HT 18019
Product identifier	DR. FOAMY ENZYME CLEANER
Revision date	01-01-2021
Company information	HI-TECH INDUSTRIES 33106 W. 8 Mile Rd Farmington, MI 48336 United States
Company phone	General Assistance 248-358-5533
Emergency telephone US	1-800-535-5053
Emergency telephone outside US	1-352-323-3500
Version #	05
Supersedes date	01-01-2021
Recommended use	Cleaner
Recommended restrictions	None known.

2. Hazard(s) identification

Physical hazards	Gases under pressure	Liquefied gas
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Contains gas under pressure; may explode if heated.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	2.5 - 10
Propane		74-98-6	0.1 - 1
Other components below reportable levels			90 - 100

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Not available.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Contents under pressure.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Cool containers exposed to flames with water until well after the fire is out.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.)

Environmental precautions A

waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handlingPressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing
or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke
while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or
expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers
when transferring material. Do not re-use empty containers. Use only in well-ventilated areas.
Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesLevel 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into

8. Exposure controls/personal protection

cupational exposure limits				
US. ACGIH Threshold Limit Value	es			
Components	Туре	Value		
Isobutane (CAS 75-28-5)	STEL	1000 ppm		
US. NIOSH: Pocket Guide to Cher	mical Hazards			
Components	Туре	Value		
Isobutane (CAS 75-28-5)	TWA	1900 mg/m3		

SDS US

2/7

Components	Туре	Value	
		800 ppm	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	should be matched to conditions. If or other engineering controls to ma	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shiel	ds (or goggles).	
Hand protection	Wear appropriate chemical resistan	t gloves.	
Skin protection			
Other	Wear suitable protective clothing.		
Respiratory protection	If permissible levels are exceeded u air-supplied respirator.	use NIOSH mechanical filter / organic vapor cartridge or an	
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	
General hygiene considerations		observe good personal hygiene measures, such as washing re eating, drinking, and/or smoking. Routinely wash work o remove contaminants.	

9. Physical and chemical properties

Appearance	
Physical state	Gas.
Form	Aerosol. Liquefied gas.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	-99.4 °F (-73.0 °C) Propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Flammable IB estimated

Heat of combustion (NFPA	2.47 kJ/g estimated
30B)	
Specific gravity	0.919 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decomposition products are known.	

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity			
Components	Species	Test Results	
Isobutane (CAS 75-28-5)			
Acute			
Inhalation			
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
* Estimates for product may t	be based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irr	itation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary ir	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproduct	ve or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.	Not classified.	
Aspiration hazard	Not likely, due to the form of the product.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Partition coefficient n-octan Isobutane	ol / water (log Kow) 2.76	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information


n	n	т
υ	J	

UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

IATA	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	2L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS



Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

1,4-Dioxane				_
ther federal regulations		123-91-1	0.01 - 0.1	_
anor reactar regulatione				
Clean Air Act (CAA) Section	112 Hazardous Air Pollu	tants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section	112(r) Accidental Releas	e Prevention (40 CFR	68.130)	
Isobutane (CAS 75-28-5)				
Safe Drinking Water Act (SDWA)	Not regulated.			
S state regulations				
US. Massachusetts RTK - Sı	ubstance List			
Isobutane (CAS 75-28-5)				
US. New Jersey Worker and	Community Right-to-Kno	ow Act		
Isobutane (CAS 75-28-5)	d Community Dight to K			
US. Pennsylvania Worker an Isobutane (CAS 75-28-5)	ia Community Right-to-R	now Law		
US. Rhode Island RTK				
Isobutane (CAS 75-28-5)				
US. California Proposition 6	5			
•	contains a chemical known	to the State of Californ	ia to cause cancer.	
US - California Proposit	ion 65 - CRT: Listed date	/Carcinogenic substar	nce	
1,4-Dioxane (CAS 12	23-91-1)	Listed: January ?	1, 1988	
nternational Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of C	hemical Substances (A	ICS)	No
Canada	Domestic Substances Lis	st (DSL)		Yes
Canada	Non-Domestic Substance	es List (NDSL)		No
China	Inventory of Existing Che	mical Substances in Ch	nina (IECSC)	No
Europe	European Inventory of Ex Substances (EINECS)	kisting Commercial Che	mical	No
Europe	European List of Notified	Chemical Substances	(ELINCS)	No
Japan	Inventory of Existing and	New Chemical Substar	nces (ENCS)	No
Korea	Existing Chemicals List (ECL)		No
New Zealand	New Zealand Inventory			No
Philippines	Philippine Inventory of Cl (PICCS)	hemicals and Chemical	Substances	No
United States & Puerto Rico	Toxic Substances Contro	ol Act (TSCA) Inventory		Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date	01-01-2021 01-01-2021
Version #	05
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Transport Information: Material Transportation Information GHS: Classification