Lemon Blitz Auto Klene Solutions

 Chemwatch: 32-8264
 Issue Date: 01/11/2019

 Version No: 8.1.1
 Print Date: 05/02/2021

 Safety Data Sheet according to WHS and ADG requirements
 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Lemon Blitz	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Details of the supplier of the safety data sheet

Registered company name	Auto Klene Solutions	
Address	1/83 Merrindale Drive Croydon VIC 3136 Australia	
Telephone	31 3 8761 1900	
Fax	+61 3 8761 1955	
Website	http://www.autoklene.com/msds/	
Email	Not Available	

Emergency telephone number

Association / Organisation	Auto Klene Solutions	
Emergency telephone numbers	131 126 (Poisons Information Centre)	
Other emergency telephone numbers	0800 764 766 (New Zealand Poisons Information Centre)	

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	1	1	0 = Minimum
Body Contact	1	1	1 = Low
Reactivity	1		2 = Moderate
Chronic	0	1	3 = righ 4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Acute Aquatic Hazard Category 3	
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/200		

Label elements

Hazard pictogram(s)	
Signal word	Danger

Hazard statement(s)

H315	Causes skin irritation.
H318	Causes serious eye damage.

Chemwatch Hazard Alert Code: 1

H402 Harmful to aquatic life.

Precautionary statement(s) Prevention

· · · · · · · · · · · · · · · · · · ·		
P280	P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/	
P273	Avoid release to the environment.	

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	
P321	Specific treatment (see on this label).	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

Precautionary statement(s) Storage

Not Applicable

```
Precautionary statement(s) Disposal
```

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
39587-22-9	1-10	nonyl alcohol, ethoxylated
Not Available	1-10	perfume
68424-85-1	1.5	benzyl C12-16-alkyldimethylammonium chloride
Not Available	<1	dye
7732-18-5	balance	water

SECTION 4 First aid measures

Description of first aid measures				
Eye Contact	 If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 			
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 			
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 			
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 			

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.
---------------	---

	 Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposition may produce toxic fumes of: carbon dioxide (CO2) hydrogen chloride phosgene nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid Sodium or Calcium Hypochlorite. Reaction with peroxides may result in violent decomposition. Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name		TEEL-1	TEEL-2	TEEL-3
benzyl C12-16- alkyldimethylammonium chloride	Quaternary ammonium compounds, benzyl-C12-C16-alkyldimethyl, chlorides		1.3 mg/m3	14 mg/m3	84 mg/m3
Ingredient	Original IDLH Revised IDLH				
nonyl alcohol, ethoxylated	Not Available	Not Available			
benzyl C12-16- alkyldimethylammonium chloride	Not Available	Not Available			
water	Not Available	Not Available			
Occupational Exposure Banding					
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit			
nonyl alcohol, ethoxylated	E	≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.				

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the: "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer*generated selection:

-	
Lemon	Blitz

Material	СРІ
BUTYL	А
NEOPRENE	А
VITON	А
NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

 $\ensuremath{\text{NOTE}}$: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand



Chemwatch: 32-8264	Page 5 of 8	Issue Date: 01/11/2019
Version No: 8.1.1.1	Lemon Blitz	Print Date: 05/02/2021

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted. A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties Appearance Clear yellow liquid with sweet lemon odour; miscible with water. Physical state Liquid Relative density (Water = 1) 0.96-1.0 Partition coefficient n-octanol Not Available Not Available Odour / water Odour threshold Not Available Auto-ignition temperature (°C) Not Available pH (as supplied) 6.5-7.5 **Decomposition temperature** Not Available Melting point / freezing point Not Available Viscosity (cSt) Not Available (°C) Initial boiling point and boiling 100 approx Molecular weight (g/mol) Not Applicable range (°C) Flash point (°C) Not Applicable Taste Not Available Explosive properties Evaporation rate Not Available Not Available Flammability **Oxidising properties** Not Available Not Applicable Surface Tension (dyn/cm or Upper Explosive Limit (%) Not Applicable Not Available mN/m) Volatile Component (%vol) Lower Explosive Limit (%) Not Applicable 97-98 Vapour pressure (kPa) Not Available Gas group Not Available Not Available Solubility in water Miscible pH as a solution (1%) Vapour density (Air = 1) Not Available VOC g/L Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	There is some evidence to suggest that the material can cause respirato cause further lung damage.	ry irritation in some persons. The body's response to such irritation can
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Ingestion may result in nausea, abdominal irritation, pain and vomiting	
Skin Contact	There is some evidence to suggest that the material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.	
Eye	Limited evidence or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals. Prolonged eye contact may cause inflammation characterised by a temporary redness of the conjunctiva (similar to windburn).	
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.	
Lemon Blitz	ΤΟΧΙΟΙΤΥ	IRRITATION

	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
nonyl alcohol, ethoxylated	Not Available	Not Available	
benzyl C12-16-	ΤΟΧΙΟΙΤΥ	IRRITATION	
alkyldimethylammonium	Dermal (rabbit) LD50: 1.709 mg/kg ^[1]	Skin (rabbit): 25 n	ng SEVERE
chloride	Oral(Rat) LD50; 450 mg/kg ^[1]		
	ΤΟΧΙΟΙΤΥ	IRRITATION	
water	Oral(Rat) LD50; >90 mg/kg ^[2]	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Subst specified data extracted from RTECS - Register of Toxic	ances - Acute toxicity 2.* Value obtai c Effect of chemical Substances	ned from manufacturer's SDS. Unless otherwise
NONYL ALCOHOL, ETHOXYLATED	Both laboratory and animal testing has shown that there cancer. No adverse reproductive or developmental effect	e is no evidence for alcohol ethoxylate cts were observed.	es (AEs) causing genetic damage, mutations or
BENZYL C12-16- ALKYLDIMETHYLAMMONIUM CHLORIDE	* Manufacturer For similar compound benzyl-C12-18-alk The following information refers to contact allergens as Contact allergies quickly manifest themselves as contact eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for co distributed can be a more important allergen than one w clinical point of view, substances are noteworthy if they Alkyldimethylbenzylammonium chlorides are in the list of and on ingestion", and "corrosive and very toxic to aqua deterioration of vision, possible sensitisation in those wi abnormality. For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible not been examined in this respect. Mucous secretion m protects the stomach lining from the hydrochloric acid se Fatty Nitrogen-Derived Cationics (FND Cationics) have Repeated exposure also is associated with low toxicity. development of the unborn. Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. RADS (i the concentration of and duration of exposure to the irrit result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough a	syldimethyl ammonium chloride CAS a group and may not be specific to th t eczema, more rarely as urticaria or ne reaction of the delayed type. Othe ficance of the contact allergen is not s ontact with it are equally important. A <i>i</i> th stronger sensitising potential with produce an allergic test reaction in m of dangerous substances of council di tic organisms". It can cause dose de th pre-existing eczema. It does not ca e to genetic damage when the pH fall ay protect the cells of the airway from ecreted there). minimal to moderate acute toxicity bu They are unlikely to cause mutation of n years after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopia mented exposure to the irritant. Othe e bronchial hyperreactivity on methad or asthma) following an irritating inhal ating substance. On the other hand, g substance (often particles) and is co and mucus production.	RN 68391-01-5: is product. Quincke's oedema. The pathogenesis of contact r allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the weakly sensitising substance which is widely which few individuals come into contact. From a ore than 1% of the persons tested. rective, classified as "harmful in contact with skin pendent skin and eye irritation with possible uuse cancer, genetic defect, foetal or developmental s to about 6.5. Cells from the respiratory tract have direct exposure to inhaled acidic mists (which also at may be acutely lethal at very high doses. or affect reproduction, cause birth defects or ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The
NONYL ALCOHOL, ETHOXYLATED & WATER	No significant acute toxicological data identified in literat	ture search.	
Acute Toxicity	×	Carcinogenicity	X
Skin Irritation/Corrosion	✓	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: X – Data either not available or does not fill the criteria for classification - Data available to make classification

SECTION 12 Ecological information

Toxicity							
	Endpoint	Test Duration (hr)		Species		Value	Source
Lemon Blitz	Not Available	Not Available		Not Available		Not Available	Not Available
	Endpoint	Test Duration (hr)		Species		Value	Source
nonyl alcohol, ethoxylated	Not Available	Not Available		Not Available		Not Available	Not Available
	Endpoint	Test Duration (hr)	S	pecies	N	/alue	Source
benzyl C12-16- alkyldimethylammonium chloride	LC50	96	Fi	ish	-	0.05-0.082mg/L	4
	EC50	48	C	rustacea	-	0.028-0.049mg/L	4
	BCF	1440	Fi	ish	().25-mg/L	4
	NOEC	504	C	rustacea	;	>=0.00415mg/L	2

	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Harmful to aquatic organisms.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW
Bioaccumulative potential		
Ingredient	Bioaccumulation	
water	LOW (LogKOW = -1.38)	
Mobility in soil		
Ingredient	Mobility	
water	LOW (KOC = 14.3)	

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal foil ty can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed appratus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
nonyl alcohol, ethoxylated	Not Available
benzyl C12-16- alkyldimethylammonium chloride	Not Available
water	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
nonyl alcohol, ethoxylated	Not Available
benzyl C12-16- alkyldimethylammonium chloride	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture
nonyl alcohol, ethoxylated is found on the following regulatory lists
Australian Inventory of Industrial Chemicals (AIIC)
benzyl C12-16-alkyldimethylammonium chloride is found on the following regulatory lists
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)
water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (nonyl alcohol, ethoxylated; benzyl C12-16-alkyldimethylammonium chloride; water)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (nonyl alcohol, ethoxylated)		
Japan - ENCS	No (nonyl alcohol, ethoxylated; benzyl C12-16-alkyldimethylammonium chloride)		
Korea - KECI	No (nonyl alcohol, ethoxylated)		
New Zealand - NZIoC	Yes		
Philippines - PICCS	No (nonyl alcohol, ethoxylated)		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (nonyl alcohol, ethoxylated)		
Vietnam - NCI	Yes		
Russia - ARIPS	No (nonyl alcohol, ethoxylated)		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)		

SECTION 16 Other information

Revision Date	01/11/2019
Initial Date	06/03/2013

SDS Version Summary

Version	Issue Date	Sections Updated
7.1.1.1	15/08/2019	Name
8.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.