Multi Mix 11 - Laundry Liquid Auto Klene Solutions

Chemwatch: **5199-82** Version No: **5.1.1.1** Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 1

Issue Date: **15/02/2021** Print Date: **19/02/2021** S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Multi Mix 11 - Laundry Liquid	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

	For use in all domestic washing machines.
Relevant identified uses	Use according to manufacturer's directions.
	SDS are intended for use in the workplace. For domestic-use products, refer to consumer labels.

Details of the supplier of the safety data sheet

Registered company name	Auto Klene Solutions	
Address	/83 Merrindale Drive Croydon VIC 3136 Australia	
Telephone	+61 3 8761 1900	
Fax	+61 3 8761 1955	
Website	http://www.autoklene.com/msds/	
Email	Not Available	

Emergency telephone number

Association / Organ	nisation	Auto Klene Solutions	
Emergency tel n	lephone numbers	131 126 (Poisons Information Centre)	
Other emergency tel	lephone numbers	0800 764 766 (New Zealand Poisons Information Centre)	

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0	1	0 = Minimum
Body Contact	1	1	1 = Low
Reactivity	1	1	2 = Moderate
Chronic	0		3 = High 4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Eye Irritation Category 2B	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements		
Hazard pictogram(s)	Not Applicable	
Signal word	Warning	
oignaí word	**aming	
Hazard statement(s)		
Hazard statement(s) H320	Causes eye irritation.	
. ,		

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.	

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	10-30	surfactant blend, proprietary
92502-70-0	0-10	eucalyptus oil
7336-20-1	0-10	4.4'-diamino-2.2'-stilbenedisulfonic acid disodium salt
Not Available	1-5	Ingredients determined not to be hazardous

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. 		
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposition may produce toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material. May emit corrosive fumes. 		
HAZCHEM	Not Applicable		

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. DO NOT allow clothing wet with material to stay in contact with skin
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 	
Storage incompatibility	Avoid reaction with oxidising agents	

SECTION 8 Exposure controls / personal protection

Control parameters

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Multi Mix 11 - Laundry Liquid	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
Ingredient			Revised IDLH	
eucalyptus oil	Not Available		Not Available	
4,4'-diamino- 2,2'-stilbenedisulfonic acid disodium salt	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
eucalyptus oil	E	≤ 0.1 ppm
4,4'-diamino- 2,2'-stilbenedisulfonic acid disodium salt	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a	

range of exposure concentrations that are expected to protect worker health.

·	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls ca
Appropriate engineering controls	be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eve wash unit.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Green, clear, viscous liquid with eucalyptus odour; soluble in water to produce foaming solutions.		
Physical state	Liquid	Relative density (Water = 1)	1.035
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	approx.12	Decomposition temperature	Not Available
Melting point / freezing point (°C)	<0	Viscosity (cSt)	Not Available

Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	2 @ 20 degC	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	9.0-9.6
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	There is some evidence to suggest that this material can	cause inflammation of the skin on contact in some persons.	
Eye	There is some evidence to suggest that this material can	cause eye irritation and damage in some persons.	
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
	ΤΟΧΙΟΙΤΥ	IRRITATION	
Multi Mix 11 - Laundry Liquid	Not Available	Not Available	
	ΤΟΧΙCITY	IRRITATION	
	Dermal (rabbit) LD50: 2480 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]	
eucalyptus oil	Oral(Rat) LD50; 2480 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]	
		Skin (rabbit): 500 mg/24h - mod	
		Skin: adverse effect observed (irritating) ^[1]	
4,4'-diamino-	ΤΟΧΙΟΙΤΥ	IRRITATION	
2,2'-stilbenedisulfonic acid disodium salt	Oral(Rat) LD50; >5000 mg/kg ^[2]	Not Available	
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 		

EUCALYPTUS OIL	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production. The terpenoid hydrocarbons are found in needle trees and deciduous plants. This category of chemicals shows very low acute toxicity. They are ecreted in the urine. They are unlikely to cause genetic damage, but animal testing shows that they do cause increased rates of kidney cancer. They have low potential to cause reproductive and developmental toxicity.
	Adverse reactions to fragrances in perfumes and fragranced cosmetic products include allergic contact dermatitis, irritant contact dermatitis, sensitivity to light, immediate contact reactions, and pigmented contact dermatitis. Airborne and connubial contact dermatitis occurs. Contact allergy is a lifelong condition, so symptoms may occur on re-exposure. Allergic contact dermatitis can be severe and widespread, with significant impairment of quality of life and potential consequences for fitness for work.

	If the perfume contains a sensitizing component, intoler coughing, phlegm, wheezing, chest tightness, headacher respiratory diseases. Perfumes can induce excess reac carbon filter mask had no protective effect. Occupational asthma caused by perfume substances, s persistent symptoms, even though the exposure is belo Fragrance allergens act as haptens, which are small mo not all sensitizing fragrance chemicals are directly react or no sensitization, but it is transformed into a hapten ou requirement of an enzyme. For prehaptens, it is possible to prevent activation outsi exposure during handling and storage of the ingredients used, care should be taken that they will not be activate Prehaptens: Most terpenes with oxidisable allylic positic oxidation products that are formed, the oxidized produci lavender oil increased the potential for sensitization. Prohaptens: Compounds that are bioactivated in the ski being activated cannot be avoided by outside measures	e, shortness of breath with exertion, a tivity of the airway without producing a such as isoamyl acetate, limonene, cir w occupational exposure limits. blecules that cause an immune reaction tive, but some require previous activat utside the skin by a chemical reaction de the body to a certain extent by diffe s and the final product, and by the ado ad themselves, and thereby form new ons can be expected to self-oxidise on ts will have differing levels of sensitization in and thereby form haptens are referr	cute respiratory illness, hayfever, asthma and other allergy or airway obstruction. Breathing through a unamaldehyde and benzaldehyde, tend to give on only when attached to a carrier protein. However, ion. A prehapten is a chemical that itself causes little (oxidation in air or reaction with light) without the erent measures, for example, prevention of air lition of suitable antioxidants. When antioxidants are sensitisers. air exposure. Depending on the stability of the tion potential. Tests shows that air exposure of
4,4'-DIAMINO- 2,2'-STILBENEDISULFONIC ACID DISODIUM SALT	Under the conditions of 2-year feed studies, there was no evidence of carcinogenic activity of 4,4-diamino-2,2-stilbenedisulfonic acid, disodium salt, in male or female F344/N rats receiving 12,500 or 25,000 ppm. There was no evidence of carcinogenic activity of 4,4-diamino-2,2-stilbenedisulfonic acid, disodium salt, in male or female B6C3F1 mice receiving 6,250 or 12,500 ppm		
EUCALYPTUS OIL & 4,4'-DIAMINO- 2,2'-STILBENEDISULFONIC ACID DISODIUM SALT	The following information refers to contact allergens as Contact allergies quickly manifest themselves as contact eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signi distribution of the substance and the opportunities for co distributed can be a more important allergen than one w clinical point of view, substances are noteworthy if they	ct eczema, more rarely as urticaria or ine reaction of the delayed type. Othe ficance of the contact allergen is not s ontact with it are equally important. A vith stronger sensitising potential with	Quincke's oedema. The pathogenesis of contact r allergic skin reactions, e.g. contact urticaria, imply determined by its sensitisation potential: the weakly sensitising substance which is widely which few individuals come into contact. From a
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: 🗙

Data either not available or does not fill the criteria for classification
 Data available to make classification

SECTION 12 Ecological information

Toxicity

Endpoint	Test Duration (hr)	Species	Value	Source
Not Not Available	Not Available		Not Available	
Endpoint	Test Duration (hr)	Species	Value	Source
LC50	96	Fish	0.28mg/L	2
EC50	48	Crustacea	0.307mg/L	2
NOEL	86	Fish	3.2mg/L	2
LC50	96	Fish	0.28mg/L	2
EC50	48	Crustacea	0.307mg/L	2
EC50	72	Algae or other aquatic plants	>1.6mg/L	2
NOEC	48	Algae or other aquatic plants	0.247mg/L	2
LC50	96	Fish	4.2mg/L	2
EC50	48	Crustacea	20mg/L	2
EC50	72	Algae or other aquatic plants	13mg/L	2
EL0	24	Crustacea	10mg/L	2
NOEL	86	Fish	3.2mg/L	2
Endpoint	Test Duration (hr)	Species	Value	Sourc
EC50	48	Crustacea	292.33mg/L	2
EC50	72	Algae or other aquatic plants	>100mg/L	2
EC0	48	Crustacea	62.5mg/L	2
	Available Endpoint LC50 EC50 NOEL LC50 EC50 EL0 NOEL EC50 EC50 EC50	Available Not Available Endpoint Test Duration (hr) LC50 96 EC50 48 NOEL 86 LC50 96 EC50 48 LC50 96 EC50 48 EC50 72 NOEC 48 LC50 96 EC50 72 NOEC 48 LC50 96 EC50 72 NOEC 48 EC50 72 EL0 24 NOEL 86 EC50 48 EC50 48 EC50 48 EC50 48 EC50 48 EC50 72	AvailableNot AvailableNot AvailableEndpointTest Duration (hr)SpeciesLC5096FishEC5048CrustaceaNOEL86FishLC5096FishLC5096FishEC5048CrustaceaEC5048CrustaceaEC5072Algae or other aquatic plantsNOEC48Algae or other aquatic plantsLC5096FishEC5072Algae or other aquatic plantsLC5096FishEC5072Algae or other aquatic plantsLC5086CrustaceaEL024CrustaceaNOEL86FishEC5048CrustaceaEC5048CrustaceaEC5048CrustaceaEC5048CrustaceaEC5072Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Algae or other aquatic plantsEC5072Algae or other aquatic plants	AvailableNot AvailableNot AvailableAvailableEndpointTest Duration (hr)SpeciesValueLC5096Fish0.28mg/LEC5048Crustacea0.307mg/LNOEL86Fish3.2mg/LLC5096Fish0.28mg/LEC5048Crustacea0.307mg/LEC5048Crustacea0.307mg/LEC5072Algae or other aquatic plants>1.6mg/LNOEC48Algae or other aquatic plants0.247mg/LLC5096Fish4.2mg/LEC5072Algae or other aquatic plants0.247mg/LLC5096Fish4.2mg/LEC5072Algae or other aquatic plants13mg/LEC5072Algae or other aquatic plants13mg/LEL024Crustacea10mg/LNOEL86Fish3.2mg/LEc5048Crustacea292.33mg/LEC5072Algae or other aquatic plants>100mg/LEc5072Algae or other aquatic plants>100mg/LEc5048Crustacea292.33mg/LEc5072Algae or other aquatic plants>100mg/L

 Persistence and degradability

 Ingredient

 Persistence: Water/Soil

 Persistence: Air

No Data available for all ingredients	No Data available for all ingredients
---------------------------------------	---------------------------------------

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
eucalyptus oil	Not Available
4,4'-diamino- 2,2'-stilbenedisulfonic acid disodium salt	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
eucalyptus oil	Not Available
4,4'-diamino- 2,2'-stilbenedisulfonic acid disodium salt	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

eucalyptus oil is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	(4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt)		
Canada - NDSL	lo (eucalyptus oil)		
China - IECSC	No (4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt)		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	No (eucalyptus oil)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		

National Inventory	Status	
Philippines - PICCS	No (4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt)	
USA - TSCA	Yes	
Taiwan - TCSI	No (4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt)	
Mexico - INSQ	No (eucalyptus oil; 4,4'-diamino-2,2'-stilbenedisulfonic acid disodium salt)	
Vietnam - NCI	Yes	
Russia - ARIPS	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 Other information

Revision Date	15/02/2021
Initial Date	17/02/2016

SDS Version Summary

Version	Issue Date	Sections Updated
4.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
5.1.1.1	15/02/2021	Classification, Name

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

